



YOUNG CYCLE




*Professional Metal Letter Punch &  
Number Stamps Manufacturer*

Metal Stamp Punch Factory of Taiwan

[www.youngcycle.com.tw](http://www.youngcycle.com.tw)

- Alphabet steel stamp set : 27 pieces includes A-Z, symbol &.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



### SPECIFICATION


| Item No.  | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|-----------|-------------------------|----------------------------|-----------------------------------|------------------------|
| YC601-1   | 1.0mm(3/64")            | 6.35mm                     | 62mm                              | 30 Sets/CTN            |
| YC601-1.5 | 1.5mm(1/16")            | 6.35mm                     | 62mm                              | 30 Sets/CTN            |
| YC601-2   | 2.0mm(5/64")            | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC601-2.5 | 2.5mm(3/32")            | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC601-3   | 3.0mm (1/8")            | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| YC601-4   | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| YC601-5   | 5.0mm (3/16")           | 7.93mm                     | 61mm                              | 16 Sets/CTN            |
| YC601S-6  | 6.0mm (1/4")            | 7.93mm                     | 60mm                              | 16 Sets/CTN            |
| YC601-6   | 6.0mm (1/4")            | 9.52mm                     | 67mm                              | 12 Sets/CTN            |
| YC601-7   | 7.0mm (9/32")           | 11.11mm                    | 68mm                              | 8 Sets/CTN             |
| YC601S-8  | 8.0mm (5/16")           | 11.11mm                    | 67mm                              | 8 Sets/CTN             |
| YC601-8   | 8.0mm (5/16")           | 12.70mm                    | 70mm                              | 6 Sets/CTN             |
| YC601-10  | 10.0mm (3/8")           | 12.70mm                    | 71mm                              | 6 Sets/CTN             |
| YC601-12  | 12.0mm (1/2")           | 15.85mm                    | 83mm                              | 4 Sets/CTN             |
| YC601-16  | 16.0mm (5/8")           | 15.85mm                    | 95mm                              | 2 Sets/CTN             |
| YC601-19  | 19.0mm (3/4")           | 19.05mm                    | 98mm                              | 2 Sets/CTN             |

© Blow Mold Case (BMC)

# YC-602

## Number Steel Stamps

- Number steel stamp set: 9 pieces includes 0-8 (6 is used as 9 when upside-down).
- Surface Treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).




### SPECIFICATION

| Item No.  | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity                                                                           |
|-----------|-------------------------|----------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------|
| YC602-1   | 1.0mm(3/64")            | 6.35mm                     | 62mm                              | 80 Sets/CTN                                                                                      |
| YC602-1.5 | 1.5mm(1/16")            | 6.35mm                     | 62mm                              | 80 Sets/CTN                                                                                      |
| YC602-2   | 2.0mm(5/64")            | 6.35mm                     | 61mm                              | 80 Sets/CTN                                                                                      |
| YC602-2.5 | 2.5mm(3/32")            | 6.35mm                     | 61mm                              | 80 Sets/CTN                                                                                      |
| YC602-3   | 3.0mm (1/8")            | 6.35mm                     | 60mm                              | 80 Sets/CTN                                                                                      |
| YC602-4   | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 80 Sets/CTN                                                                                      |
| YC602-5   | 5.0mm (3/16")           | 7.93mm                     | 61mm                              | 50 Sets/CTN                                                                                      |
| YC602S-6  | 6.0mm (1/4")            | 7.93mm                     | 60mm                              | 50 Sets/CTN                                                                                      |
| YC602-6   | 6.0mm (1/4")            | 9.52mm                     | 67mm                              | 36 Sets/CTN                                                                                      |
| YC602-7   | 7.0mm (9/32")           | 11.11mm                    | 68mm                              | 24 Sets/CTN                                                                                      |
| YC602S-8  | 8.0mm (5/16")           | 11.11mm                    | 67mm                              | 24 Sets/CTN                                                                                      |
| YC602-8   | 8.0mm (5/16")           | 12.70mm                    | 70mm                              | 18 Sets/CTN                                                                                      |
| YC602-10  | 10.0mm (3/8")           | 12.70mm                    | 71mm                              | 18 Sets/CTN                                                                                      |
| YC602-12  | 12.0mm (1/2")           | 15.85mm                    | 83mm                              | 10 Sets/CTN                                                                                      |
| YC602-16  | 16.0mm (5/8")           | 15.85mm                    | 95mm                              | 6 Sets/CTN  |
| YC602-19  | 19.0mm (3/4")           | 19.05mm                    | 98mm                              | 6 Sets/CTN  |

 Blow Mold Case (BMC)

- Alphabet steel stamp set: 27 pieces includes A-Z, symbol &.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Typeface according to DIN 1451.
- Material: CR-V (6150).



### SPECIFICATION


| Item No.  | Character Size C | Shank Size Square A | Shank Size Length (±0.4) B | Standard Pack Quantity |
|-----------|------------------|---------------------|----------------------------|------------------------|
| YC614-1.5 | 1.5mm(1/16")     | 6.35mm              | 61mm                       | 30 Sets/CTN            |
| YC614-2   | 2.0mm(5/64")     | 6.35mm              | 61mm                       | 30 Sets/CTN            |
| YC614-2.5 | 2.5mm(3/32")     | 6.35mm              | 61mm                       | 30 Sets/CTN            |
| YC614-3   | 3.0mm (1/8")     | 6.35mm              | 60mm                       | 30 Sets/CTN            |
| YC614S-4  | 4.0mm (5/32")    | 6.35mm              | 60mm                       | 30 Sets/CTN            |
| YC614-4   | 4.0mm (5/32")    | 7.93mm              | 63mm                       | 16 Sets/CTN            |
| YC614-5   | 5.0mm (3/16")    | 7.93mm              | 61mm                       | 16 Sets/CTN            |
| YC614S-6  | 6.0mm (1/4")     | 7.93mm              | 61mm                       | 16 Sets/CTN            |
| YC614-6   | 6.0mm (1/4")     | 9.52mm              | 68mm                       | 12 Sets/CTN            |
| YC614-7   | 7.0mm (9/32")    | 11.11mm             | 68mm                       | 8 Sets/CTN             |
| YC614S-8  | 8.0mm (5/16")    | 11.11mm             | 68mm                       | 8 Sets/CTN             |
| YC614-8   | 8.0mm (5/16")    | 12.70mm             | 70mm                       | 6 Sets/CTN             |
| YC614-10  | 10.0mm (3/8")    | 12.70mm             | 74mm                       | 6 Sets/CTN             |
| YC614-12  | 12.0mm (1/2")    | 15.85mm             | 84mm                       | 4 Sets/CTN             |
| YC614-16  | 16.0mm (5/8")    | 15.85mm             | 96mm                       | 2 Sets/CTN             |
| YC614-19  | 19.0mm (3/4")    | 19.05mm             | 98mm                       | 2 Sets/CTN             |

◎ Blow Mold Case (BMC)

# YC-615

## German Number Steel Stamps

- Number steel stamp set: 9 pieces includes 0-8 (6 is used as 9 when upside-down).
- Surface Treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Typeface according to DIN 1451.
- Material: CR-V (6150).



### SPECIFICATION

| Item No.  | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity                                                                           |
|-----------|-------------------------|----------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------|
| YC615-1.5 | 1.5mm (1/16")           | 6.35mm                     | 61mm                              | 80 Sets/CTN                                                                                      |
| YC615-2   | 2.0mm (5/64")           | 6.35mm                     | 61mm                              | 80 Sets/CTN                                                                                      |
| YC615-2.5 | 2.5mm (3/32")           | 6.35mm                     | 61mm                              | 80 Sets/CTN                                                                                      |
| YC615-3   | 3.0mm (1/8")            | 6.35mm                     | 60mm                              | 80 Sets/CTN                                                                                      |
| YC615S-4  | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 80 Sets/CTN                                                                                      |
| YC615-4   | 4.0mm (5/32")           | 7.93mm                     | 63mm                              | 50 Sets/CTN                                                                                      |
| YC615-5   | 5.0mm (3/16")           | 7.93mm                     | 61mm                              | 50 Sets/CTN                                                                                      |
| YC615S-6  | 6.0mm (1/4")            | 7.93mm                     | 61mm                              | 50 Sets/CTN                                                                                      |
| YC615-6   | 6.0mm (1/4")            | 9.52mm                     | 68mm                              | 36 Sets/CTN                                                                                      |
| YC615-7   | 7.0mm (9/32")           | 11.11mm                    | 68mm                              | 24 Sets/CTN                                                                                      |
| YC615S-8  | 8.0mm (5/16")           | 11.11mm                    | 68mm                              | 24 Sets/CTN                                                                                      |
| YC615-8   | 8.0mm (5/16")           | 12.70mm                    | 70mm                              | 18 Sets/CTN                                                                                      |
| YC615-10  | 10.0mm (3/8")           | 12.70mm                    | 74mm                              | 18 Sets/CTN                                                                                      |
| YC615-12  | 12.0mm (1/2")           | 15.85mm                    | 84mm                              | 10 Sets/CTN                                                                                      |
| YC615-16  | 16.0mm (5/8")           | 15.85mm                    | 96mm                              | 6 Sets/CTN  |
| YC615-19  | 19.0mm (3/4")           | 19.05mm                    | 98mm                              | 6 Sets/CTN  |

 Blow Mold Case (BMC)


- Alphabet steel stamp Set, 27 Pieces includes A~Z, symbol &.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



### SPECIFICATION

| Item No.   | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|------------|-------------------------|----------------------------|-----------------------------------|------------------------|
| YC603L-1.5 | 1.5mm(1/16")            | 7.93mm                     | 71mm                              | 16 Sets/CTN            |
| YC603H-2.5 | 2.5mm (3/32")           | 7.93mm                     | 64mm                              | 16 Sets/CTN            |
| YC603L-2.5 | 2.5mm (3/32")           | 7.93mm                     | 70mm                              | 16 Sets/CTN            |
| YC603H-3   | 3.0mm (1/8")            | 7.93mm                     | 64mm                              | 16 Sets/CTN            |
| YC603L-3   | 3.0mm (1/8")            | 9.52mm                     | 70mm                              | 12 Sets/CTN            |
| YC603R-3   | 3.0mm (1/8")            | 12.70mm                    | 79mm                              | 6 Sets/CTN             |
| YC603L-4   | 4.0mm(5/32")            | 9.52mm                     | 70mm                              | 12 Sets/CTN            |
| YC603H-5   | 5.0mm (3/16")           | 9.52mm                     | 68mm                              | 12 Sets/CTN            |
| YC603L-5   | 5.0mm (3/16")           | 11.11mm                    | 70mm                              | 8 Sets/CTN             |
| YC603H-6   | 6.0mm (1/4")            | 11.11mm                    | 76mm                              | 8 Sets/CTN             |
| YC603L-6   | 6.0mm (1/4")            | 12.70mm                    | 76mm                              | 6 Sets/CTN             |
| YC603R-6   | 6.0mm (1/4")            | 15.85mm                    | 89mm                              | 4 Sets/CTN             |
| YC603H-10  | 10.0mm (3/8")           | 14.28mm                    | 81mm                              | 4 Sets/CTN             |
| YC603L-10  | 10.0mm (3/8")           | 15.85mm                    | 86mm                              | 4 Sets/CTN             |


- Number steel stamp set: 9 pieces includes 0-8 (6 is used as 9 when upside-down).
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



### SPECIFICATION

| Item No.   | Character Size C | Shank Size Square A | Shank Size Length (±0.4) B | Standard Pack Quantity |
|------------|------------------|---------------------|----------------------------|------------------------|
| YC604L-1.5 | 1.5mm (1/16")    | 7.93mm              | 71mm                       | 50 Sets/CTN            |
| YC604H-2.5 | 2.5mm (3/32")    | 7.93mm              | 64mm                       | 50 Sets/CTN            |
| YC604L-2.5 | 2.5mm (3/32")    | 7.93mm              | 70mm                       | 50 Sets/CTN            |
| YC604H-3   | 3.0mm (1/8")     | 7.93mm              | 64mm                       | 50 Sets/CTN            |
| YC604L-3   | 3.0mm (1/8")     | 9.52mm              | 70mm                       | 36 Sets/CTN            |
| YC604R-3   | 3.0mm (1/8")     | 12.70mm             | 79mm                       | 18 Sets/CTN            |
| YC604L-4   | 4.0mm (5/32")    | 9.52mm              | 70mm                       | 36 Sets/CTN            |
| YC604H-5   | 5.0mm (3/16")    | 9.52mm              | 68mm                       | 36 Sets/CTN            |
| YC604L-5   | 5.0mm (3/16")    | 11.11mm             | 70mm                       | 24 Sets/CTN            |
| YC604H-6   | 6.0mm (1/4")     | 11.11mm             | 76mm                       | 24 Sets/CTN            |
| YC604L-6   | 6.0mm (1/4")     | 12.70mm             | 76mm                       | 18 Sets/CTN            |
| YC604R-6   | 6.0mm (1/4")     | 15.85mm             | 89mm                       | 10 Sets/CTN            |
| YC604H-10  | 10.0mm (3/8")    | 14.28mm             | 81mm                       | 10 Sets/CTN            |
| YC604L-10  | 10.0mm (3/8")    | 15.85mm             | 86mm                       | 10 Sets/CTN            |

- Alphabet steel stamp set: 27 pieces A-Z including symbol &.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.
- Marked with character and size on the thumb side.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).




## SPECIFICATION

| Item No.     | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|--------------|-------------------------|----------------------------|-----------------------------------|------------------------|
| <b>GL-2</b>  | 2.0mm(5/64")            | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| <b>GL-3</b>  | 3.0mm (1/8")            | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| <b>GL-4</b>  | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| <b>GL-5</b>  | 5.0mm (3/16")           | 7.93mm                     | 60mm                              | 16 Sets/CTN            |
| <b>GL-6</b>  | 6.0mm (1/4")            | 7.93mm                     | 60mm                              | 16 Sets/CTN            |
| <b>GL-7</b>  | 7.0mm (9/32")           | 9.52mm                     | 67mm                              | 12 Sets/CTN            |
| <b>GL-8</b>  | 8.0mm (5/16")           | 11.11mm                    | 68mm                              | 8 Sets/CTN             |
| <b>GL-10</b> | 10.0mm (3/8")           | 12.70mm                    | 70mm                              | 6 Sets/CTN             |
| <b>GL-12</b> | 12.0mm (1/2")           | 14.28mm                    | 79mm                              | 4 Sets/CTN             |

# German Number Steel Stamps


- Number steel stamp set: 9 pieces includes 0-8 (6 is used as 9 when upside-down).
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.
- Marked with character and size on the thumb side.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



## SPECIFICATION

| Item No.     | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|--------------|-------------------------|----------------------------|-----------------------------------|------------------------|
| <b>GN-2</b>  | 2.0mm(5/64")            | 6.35mm                     | 61mm                              | 80 Sets/CTN            |
| <b>GN-3</b>  | 3.0mm (1/8")            | 6.35mm                     | 61mm                              | 80 Sets/CTN            |
| <b>GN-4</b>  | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 80 Sets/CTN            |
| <b>GN-5</b>  | 5.0mm (3/16")           | 7.93mm                     | 60mm                              | 50 Sets/CTN            |
| <b>GN-6</b>  | 6.0mm (1/4")            | 7.93mm                     | 60mm                              | 50 Sets/CTN            |
| <b>GN-7</b>  | 7.0mm (9/32")           | 9.52mm                     | 67mm                              | 36 Sets/CTN            |
| <b>GN-8</b>  | 8.0mm (5/16")           | 11.11mm                    | 68mm                              | 24 Sets/CTN            |
| <b>GN-10</b> | 10.0mm (3/8")           | 12.70mm                    | 70mm                              | 18 Sets/CTN            |
| <b>GN-12</b> | 12.0mm (1/2")           | 14.28mm                    | 79mm                              | 10 Sets/CTN            |

- Alphabet steel stamp set, 27 pcs/set include A~Z plus symbol &.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.
- Marked with character and size on the thumb side.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).




### SPECIFICATION

| Item No. | Character Size C | Shank Size Square A | Shank Size Length (±0.4) B | Standard Pack Quantity |
|----------|------------------|---------------------|----------------------------|------------------------|
| EL-2     | 2.0mm (5/64")    | 6.35mm              | 61mm                       | 30 Sets/CTN            |
| EL-3     | 3.0mm (1/8")     | 6.35mm              | 61mm                       | 30 Sets/CTN            |
| EL-4     | 4.0mm (5/32")    | 6.35mm              | 60mm                       | 30 Sets/CTN            |
| EL-5     | 5.0mm (3/16")    | 7.93mm              | 60mm                       | 16 Sets/CTN            |
| EL-6     | 6.0mm (1/4")     | 7.93mm              | 60mm                       | 16 Sets/CTN            |
| EL-7     | 7.0mm (9/32")    | 9.52mm              | 67mm                       | 12 Sets/CTN            |
| EL-8     | 8.0mm (5/16")    | 11.11mm             | 68mm                       | 8 Sets/CTN             |
| EL-10    | 10.0mm (3/8")    | 12.70mm             | 70mm                       | 6 Sets/CTN             |
| EL-12    | 12.0mm (1/2")    | 14.28mm             | 79mm                       | 4 Sets/CTN             |

# EN

## Number Steel Stamps



- Number steel stamp set, 9pcs/set include 0-8 (6 is used as 9 when upside-down).
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.
- Marked with character and size on the thumb side.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



### SPECIFICATION

| Item No. | Character Size <span style="color: red;">C</span> | Shank Size Square <span style="color: red;">A</span> | Shank Size Length (±0.4) <span style="color: red;">B</span> | Standard Pack Quantity |
|----------|---------------------------------------------------|------------------------------------------------------|-------------------------------------------------------------|------------------------|
| EN-2     | 2.0mm (5/64")                                     | 6.35mm                                               | 61mm                                                        | 80 Sets/CTN            |
| EN-3     | 3.0mm (1/8")                                      | 6.35mm                                               | 61mm                                                        | 80 Sets/CTN            |
| EN-4     | 4.0mm (5/32")                                     | 6.35mm                                               | 60mm                                                        | 80 Sets/CTN            |
| EN-5     | 5.0mm (3/16")                                     | 7.93mm                                               | 60mm                                                        | 50 Sets/CTN            |
| EN-6     | 6.0mm (1/4")                                      | 7.93mm                                               | 60mm                                                        | 50 Sets/CTN            |
| EN-7     | 7.0mm (9/32")                                     | 9.52mm                                               | 67mm                                                        | 36 Sets/CTN            |
| EN-8     | 8.0mm (5/16")                                     | 11.11mm                                              | 68mm                                                        | 24 Sets/CTN            |
| EN-10    | 10.0mm (3/8")                                     | 12.70mm                                              | 70mm                                                        | 18 Sets/CTN            |
| EN-12    | 12.0mm (1/2")                                     | 14.28mm                                              | 79mm                                                        | 10 Sets/CTN            |

- Numeral and Alphabet steel stamp 36PCS: including 27PCS of A~Z, symbol & and 9PCS of 0~8.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



|   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|
| S | T | U | V | W | X | Y | Z | & |
| J | K | L | M | N | O | P | Q | R |
| A | B | C | D | E | F | G | H | I |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 0 |

### SPECIFICATION

| Item No.   | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|------------|-------------------------|----------------------------|-----------------------------------|------------------------|
| YC607-1    | 1.0mm(3/64")            | 6.35mm                     | 62mm                              | 30 Sets/CTN            |
| YC607-1.5  | 1.5mm(1/16")            | 6.35mm                     | 62mm                              | 30 Sets/CTN            |
| YC607-2    | 2.0mm(5/64")            | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC607-2.5  | 2.5mm(3/32")            | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC607-3    | 3.0mm (1/8")            | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| YC607-4    | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| YC607-5    | 5.0mm (3/16")           | 7.93mm                     | 61mm                              | 20 Sets/CTN            |
| YC607S-6   | 6.0mm (1/4")            | 7.93mm                     | 60mm                              | 20 Sets/CTN            |
| YC607-6    | 6.0mm (1/4")            | 9.52mm                     | 67mm                              | 12 Sets/CTN            |
| YC607-7    | 7.0mm (9/32")           | 11.11mm                    | 68mm                              | 6 Sets/CTN             |
| YC607S-8   | 8.0mm (5/16")           | 11.11mm                    | 67mm                              | 6 Sets/CTN             |
| YC607-8    | 8.0mm (5/16")           | 12.70mm                    | 70mm                              | 6 Sets/CTN             |
| YC607-10   | 10.0mm (3/8")           | 12.70mm                    | 71mm                              | 6 Sets/CTN             |
| YC607H-2.5 | 2.5mm(3/32")            | 7.93mm                     | 64mm                              | 20 Sets/CTN            |
| YC607L-2.5 | 2.5mm(3/32")            | 7.93mm                     | 70mm                              | 20 Sets/CTN            |
| YC607H-3   | 3.0mm (1/8")            | 7.93mm                     | 64mm                              | 20 Sets/CTN            |
| YC607L-3   | 3.0mm (1/8")            | 9.52mm                     | 70mm                              | 12 Sets/CTN            |
| YC607H-5   | 5.0mm (3/16")           | 9.52mm                     | 68mm                              | 12 Sets/CTN            |
| YC607L-5   | 5.0mm (3/16")           | 11.11mm                    | 70mm                              | 6 Sets/CTN             |
| YC607H-6   | 6.0mm (1/4")            | 11.11mm                    | 76mm                              | 6 Sets/CTN             |
| YC607L-6   | 6.0mm (1/4")            | 12.70mm                    | 76mm                              | 6 Sets/CTN             |

Most of our numeral and alphabet steel stamp series can be combined into sets.  
You are welcome to inquire.

# YC-616

## Lowercase Letter Steel Stamps

- Lowercase alphabet steel stamp Set, 27 PCS/SET include a~z plus symbol &.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).

YC616a



c | s t u v w x y z &  
j k l m n o p q r  
a b c d e f g h i

YC616b



c | s t u v w x y z &  
j k l m n o p q r  
a b c d e f g h i

### YC616a SPECIFICATION

| Item No. | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|----------|-------------------------|----------------------------|-----------------------------------|------------------------|
| YC616a-2 | 2.0mm (5/64")           | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC616a-3 | 3.0mm (1/8")            | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| YC616a-4 | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 30 Sets/CTN            |

YC616a Each alphabet has the same height.

### YC616b SPECIFICATION



| Item No. | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|----------|-------------------------|----------------------------|-----------------------------------|------------------------|
| YC616b-2 | 2.0mm (5/64")           | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC616b-3 | 3.0mm (1/8")            | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| YC616b-4 | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 30 Sets/CTN            |

YC616b The height of each alphabet is scaled proportionally.

# YC-609

## Round-Dotted Steel Stamps (LOW-STRESS DOT STYLE)

- Low stress dot style steel stamps (round dot effect).
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



### YC609-L Alphabet steel stamp set, 27 pcs/set include A~Z plus symbol &

| Item No.  | Character Size C | Shank Size Square A | Shank Size Length (±0.4) B | Standard Pack Quantity |
|-----------|------------------|---------------------|----------------------------|------------------------|
| YC609-3L  | 3.0mm (1/8")     | 9.52mm              | 69mm                       | 12 Sets/CTN            |
| YC609-4L  | 4.0mm (5/32")    | 9.52mm              | 69mm                       | 12 Sets/CTN            |
| YC609-5L  | 5.0mm (3/16")    | 11.11mm             | 70mm                       | 8 Sets/CTN             |
| YC609-6L  | 6.0mm (1/4")     | 12.70mm             | 76mm                       | 6 Sets/CTN             |
| YC609-8L  | 8.0mm (5/16")    | 12.70mm             | 74mm                       | 6 Sets/CTN             |
| YC609-10L | 10.0mm (3/8")    | 15.85mm             | 85mm                       | 4 Sets/CTN             |
| YC609-12L | 12.0mm (1/2")    | 15.85mm             | 101mm                      | 2 Sets/CTN             |

### YC609-N Number steel stamp set, 9pcs/set include 0-8

| Item No.  | Character Size C | Shank Size Square A | Shank Size Length (±0.4) B | Standard Pack Quantity |
|-----------|------------------|---------------------|----------------------------|------------------------|
| YC609-3N  | 3.0mm (1/8")     | 9.52mm              | 69mm                       | 36 Sets/CTN            |
| YC609-4N  | 4.0mm (5/32")    | 9.52mm              | 69mm                       | 36 Sets/CTN            |
| YC609-5N  | 5.0mm (3/16")    | 11.11mm             | 70mm                       | 24 Sets/CTN            |
| YC609-6N  | 6.0mm (1/4")     | 12.70mm             | 76mm                       | 18 Sets/CTN            |
| YC609-8N  | 8.0mm (5/16")    | 12.70mm             | 74mm                       | 18 Sets/CTN            |
| YC609-10N | 10.0mm (3/8")    | 15.85mm             | 85mm                       | 10 Sets/CTN            |
| YC609-12N | 12.0mm (1/2")    | 15.85mm             | 101mm                      | 6 Sets/CTN             |

# YC-609B

## Sharp-Dotted Steel Stamps (LOW-STRESS DOT STYLE)

- Low stress dot style steel stamps (sharp dot effect).
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



S T U V W X Y Z & 7 8 0  
J K L M N O P Q R 4 5 6  
A B C D E F G H I 1 2 3

### YC609B-L Alphabet steel stamp set, 27 pcs/set include A~Z plus symbol &

| Item No.   | Character Size C | Shank Size Square A | Shank Size Length (±0.4) B | Standard Pack Quantity |
|------------|------------------|---------------------|----------------------------|------------------------|
| YC609B-3L  | 3.0mm (1/8")     | 6.35mm              | 60mm                       | 30 Sets/CTN            |
| YC609B-4L  | 4.0mm (5/32")    | 6.35mm              | 59mm                       | 30 Sets/CTN            |
| YC609B-5L  | 5.0mm (3/16")    | 7.93mm              | 61mm                       | 16 Sets/CTN            |
| YC609B-6L  | 6.0mm (1/4")     | 7.93mm              | 60mm                       | 16 Sets/CTN            |
| YC609B-8L  | 8.0mm (5/16")    | 11.11mm             | 60mm                       | 8 Sets/CTN             |
| YC609B-10L | 10.0mm (3/8")    | 12.70mm             | 71mm                       | 6 Sets/CTN             |

### YC609B-N Number steel stamp set, 9pcs/set include 0-8

| Item No.   | Character Size C | Shank Size Square A | Shank Size Length (±0.4) B | Standard Pack Quantity |
|------------|------------------|---------------------|----------------------------|------------------------|
| YC609B-3N  | 3.0mm (1/8")     | 6.35mm              | 60mm                       | 80 Sets/CTN            |
| YC609B-4N  | 4.0mm (5/32")    | 6.35mm              | 59mm                       | 80 Sets/CTN            |
| YC609B-5N  | 5.0mm (3/16")    | 7.93mm              | 61mm                       | 50 Sets/CTN            |
| YC609B-6N  | 6.0mm (1/4")     | 7.93mm              | 60mm                       | 50 Sets/CTN            |
| YC609B-8N  | 8.0mm (5/16")    | 11.11mm             | 60mm                       | 24 Sets/CTN            |
| YC609B-10N | 10.0mm (3/8")    | 12.70mm             | 71mm                       | 18 Sets/CTN            |

- Bold font steel stamp set.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



### YC613-L Alphabet steel stamp set, 27 pcs/set include A~Z plus symbol &

| Item No.  | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity                                                                           |
|-----------|-------------------------|----------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------|
| YC613-3L  | 3.0mm (1/8")            | 9.52mm                     | 70mm                              | 12 Sets/CTN                                                                                      |
| YC613-6L  | 6.0mm (1/4")            | 12.70mm                    | 76mm                              | 6 Sets/CTN                                                                                       |
| YC613-10L | 10.0mm (3/8")           | 15.85mm                    | 86mm                              | 4 Sets/CTN                                                                                       |
| YC613-12L | 12.0mm (1/2")           | 15.85mm                    | 101mm                             | 2 Sets/CTN  |

### YC613-N Number steel stamp set, 9pcs/set include 0-8


| Item No.  | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity                                                                          |
|-----------|-------------------------|----------------------------|-----------------------------------|-------------------------------------------------------------------------------------------------|
| YC613-3N  | 3.0mm (1/8")            | 9.52mm                     | 70mm                              | 36Sets/CTN                                                                                      |
| YC613-6N  | 6.0mm (1/4")            | 12.70mm                    | 76mm                              | 18Sets/CTN                                                                                      |
| YC613-10N | 10.0mm (3/8")           | 15.85mm                    | 86mm                              | 10Sets/CTN                                                                                      |
| YC613-12N | 12.0mm (1/2")           | 15.85mm                    | 101mm                             | 6Sets/CTN  |

 Blow Mold Case (BMC)

# YC-612

## Pattern Steel Stamps

- Clean and beautiful graphic metal stamps, perfect for jewelry designers and makers.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character on the thumb side.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



### SPECIFICATION

| Item No. | Character Size C | Shank Size Square A | Shank Size Length (±0.4) B | Standard Pack Quantity |
|----------|------------------|---------------------|----------------------------|------------------------|
| YC612-2  | 2.0mm (5/64")    | 6.35mm              | 61mm                       | 30 SETS/CTN            |
| YC612-4  | 4.0mm (5/32")    | 7.93mm              | 63mm                       | 16 SETS/CTN            |
| YC612-6  | 6.0mm (1/4")     | 9.52mm              | 67mm                       | 12 SETS/CTN            |

- Reversed alphabet steel stamp set: 27 pieces includes A-Z, symbol &.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).




### SPECIFICATION

| Item No.  | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|-----------|-------------------------|----------------------------|-----------------------------------|------------------------|
| YC605-1   | 1.0mm (3/64")           | 6.35mm                     | 62mm                              | 30 Sets/CTN            |
| YC605-1.5 | 1.5mm (1/16")           | 6.35mm                     | 62mm                              | 30 Sets/CTN            |
| YC605-2   | 2.0mm (5/64")           | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC605-2.5 | 2.5mm (3/32")           | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC605-3   | 3.0mm (1/8")            | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| YC605-4   | 4.0mm (5/32")           | 7.93mm                     | 62mm                              | 16 Sets/CTN            |
| YC605-5   | 5.0mm (3/16")           | 7.93mm                     | 61mm                              | 16 Sets/CTN            |
| YC605-6   | 6.0mm (1/4")            | 9.52mm                     | 67mm                              | 12 Sets/CTN            |
| YC605-8   | 8.0mm (5/16")           | 12.70mm                    | 70mm                              | 6 Sets/CTN             |
| YC605-10  | 10.0mm (3/8")           | 12.70mm                    | 71mm                              | 6 Sets/CTN             |
| YC605-12  | 12.0mm (1/2")           | 15.85mm                    | 83mm                              | 4 Sets/CTN             |

# YC-606

## Reversed Number Steel Stamps


- Reversed number steel stamp set: 9 pieces includes 0-8 (6 is used as 9 when upside-down).
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).



### SPECIFICATION

| Item No.  | Character Size C | Shank Size Square A | Shank Size Length (±0.4) B | Standard Pack Quantity |
|-----------|------------------|---------------------|----------------------------|------------------------|
| YC606-1   | 1.0mm (3/64")    | 6.35mm              | 62mm                       | 80 Sets/CTN            |
| YC606-1.5 | 1.5mm (1/16")    | 6.35mm              | 62mm                       | 80 Sets/CTN            |
| YC606-2   | 2.0mm (5/64")    | 6.35mm              | 61mm                       | 80 Sets/CTN            |
| YC606-2.5 | 2.5mm (3/32")    | 6.35mm              | 61mm                       | 80 Sets/CTN            |
| YC606-3   | 3.0mm (1/8")     | 6.35mm              | 60mm                       | 80 Sets/CTN            |
| YC606-4   | 4.0mm (5/32")    | 7.93mm              | 62mm                       | 50 Sets/CTN            |
| YC606-5   | 5.0mm (3/16")    | 7.93mm              | 61mm                       | 50 Sets/CTN            |
| YC606-6   | 6.0mm (1/4")     | 9.52mm              | 67mm                       | 36 Sets/CTN            |
| YC606-8   | 8.0mm (5/16")    | 12.70mm             | 70mm                       | 18 Sets/CTN            |
| YC606-10  | 10.0mm (3/8")    | 12.70mm             | 71mm                       | 18 Sets/CTN            |
| YC606-12  | 12.0mm (1/2")    | 15.85mm             | 83mm                       | 10 Sets/CTN            |

- Reversed alphabet steel stamp 27pcs: A~Z including symbol &.
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Typeface according to DIN 1451.
- Material: CR-V (6150).




### SPECIFICATION

| Item No.  | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|-----------|-------------------------|----------------------------|-----------------------------------|------------------------|
| YC617-1.5 | 1.5mm(1/16")            | 6.35mm                     | 62mm                              | 30 Sets/CTN            |
| YC617-2   | 2.0mm(5/64")            | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC617-2.5 | 2.5mm (3/32")           | 6.35mm                     | 61mm                              | 30 Sets/CTN            |
| YC617-3   | 3.0mm (1/8")            | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| YC617-4   | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 30 Sets/CTN            |
| YC617-5   | 5.0mm (3/16")           | 7.93mm                     | 61mm                              | 16 Sets/CTN            |
| YC617-6   | 6.0mm (1/4")            | 7.93mm                     | 60mm                              | 16 Sets/CTN            |
| YC617-8   | 8.0mm (5/16")           | 11.11mm                    | 68mm                              | 8 Sets/CTN             |
| YC617-10  | 10.0mm (3/8")           | 12.70mm                    | 74mm                              | 6 Sets/CTN             |
| YC617-12  | 12.0mm (1/2")           | 15.85mm                    | 84mm                              | 4 Sets/CTN             |

# YC-618

## Reversed German Number Steel Stamps

- Reversed number steel stamp set: 9 pieces includes 0-8 (6 is used as 9 when upside-down).
- Surface treatment: Sandblasting.
- Hardness: Front font HRC 58-62 degrees.  
Tail-end tempering HRC 38-46 degrees.
- Marked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Typeface according to DIN 1451.
- Material: CR-V (6150).




### SPECIFICATION

| Item No.  | Character Size <b>C</b> | Shank Size Square <b>A</b> | Shank Size Length (±0.4) <b>B</b> | Standard Pack Quantity |
|-----------|-------------------------|----------------------------|-----------------------------------|------------------------|
| YC618-1.5 | 1.5mm (1/16")           | 6.35mm                     | 62mm                              | 80 Sets/CTN            |
| YC618-2   | 2.0mm (5/64")           | 6.35mm                     | 61mm                              | 80 Sets/CTN            |
| YC618-2.5 | 2.5mm (3/32")           | 6.35mm                     | 61mm                              | 80 Sets/CTN            |
| YC618-3   | 3.0mm (1/8")            | 6.35mm                     | 60mm                              | 80 Sets/CTN            |
| YC618-4   | 4.0mm (5/32")           | 6.35mm                     | 60mm                              | 80 Sets/CTN            |
| YC618-5   | 5.0mm (3/16")           | 7.93mm                     | 61mm                              | 50 Sets/CTN            |
| YC618-6   | 6.0mm (1/4")            | 7.93mm                     | 60mm                              | 50 Sets/CTN            |
| YC618-8   | 8.0mm (5/16")           | 11.11mm                    | 68mm                              | 24 Sets/CTN            |
| YC618-10  | 10.0mm (3/8")           | 12.70mm                    | 74mm                              | 18 Sets/CTN            |
| YC618-12  | 12.0mm (1/2")           | 15.85mm                    | 84mm                              | 10 Sets/CTN            |

- Interchangeable Steel Type Metal Stamp Kit.
- Type Holder Material: S45C (YC-610B)  
Steel Type Material: CR-V (6150).
- Each set packed in a red plastic case.

### Kit includes:

- Holder × 1pc
- Hexagon wrench × 1pc
- Steel types × 100pieces :
  - ▶ Type letter A -Z × 2pc for each
  - ▶ Type number 0 -8 × 4pc for each
  - ▶ Type number 6 × 5pc (6 is used as 9)
  - ▶ Slashed "/" × 2pc
  - ▶ Dashed "-" × 2pc
  - ▶ "&" × 1pc
  - ▶ Blank space × 6pc




- ※ YC-610B: Type holder can accommodate 10 pieces of our steel types.
- ※ Steel types can be changed according to customer requirements.

YC-610B

### Type holder is used by hand.

Tolerance of "I"  $\pm 0.01$  Unit:mm

| Item No. | Character Size | A    | B  | C  | D    | E  | F  | G   | H    | I  | Standard Pack Quantity |
|----------|----------------|------|----|----|------|----|----|-----|------|----|------------------------|
| YC610B-3 | 3.0mm (1/8")   | 18.4 | 80 | 30 | 36   | 56 | 13 | 3.5 | 6.35 | 19 | 12Sets/CTN             |
| YC610B-5 | 5.0mm (3/16")  | 20.5 | 90 | 32 | 57.5 | 74 | 15 | 5.5 | 7.93 | 22 | 12Sets/CTN             |
| YC610B-6 | 6.0mm (1/4")   | 20.5 | 90 | 32 | 57.5 | 74 | 15 | 5.5 | 7.93 | 22 | 12Sets/CTN             |



# YC-701

## Screw Extractor Set

- For removing broken bolts, screws and threaded parks.
- Plastic case and blister card packing.
- Material: SCM435

### SPECIFICATION


| Item No. | Drill Size |                                                                                            | Standard Pack Quantity |
|----------|------------|--------------------------------------------------------------------------------------------|------------------------|
| YC701-5  | 5PCS/SET   | Include :<br>1/8"-1/4"<br>5/16"-7-16"<br>9/16"-3/4"<br>1/4"-5/16"<br>7/16"-9/16"           | 120Sets/CTN            |
| YC701-6  | 6PCS/SET   | Include:<br>1/8"-1/4"<br>5/16"-7-16"<br>9/16"-3/4"<br>1/4"-5/16"<br>7/16"-9/16"<br>3/4"-1" | 80Sets/CTN             |



# YC-702

## Automatic Center Punch

- Easily hold and non-slippery handle.
- Body material: Brass
- Tip material: S2 alloy steel.
- Elastic spring is inside handle and labor-saving.
- Convenient way to start holds. Just a simple push of hand to activate the strike for a uniform punch again and again.



### SPECIFICATION

| Item No. | Size   | Length | Standard Pack Quantity |
|----------|--------|--------|------------------------|
| YC702-5  | 5 inch | 130mm  | 120 Pieces/CTN         |
| YC702-6  | 6 inch | 151mm  | 120 Pieces/CTN         |
| YC702R-5 | 5 inch | 134mm  | 80 Pieces/CTN          |



**YOUNG CYCLE**

**Young Cycle Industrial Co., Ltd.**

No. 25, Ln. 307, Sec. 3, Zhongqing Rd., Xitun District,  
Taichung City 407, Taiwan

TEL:+886-4-24250033 FAX+886-4-24256968

E-mail:yc2@youngcycle.com.tw

<https://www.youngcycle.com.tw>

